

University of Groningen

Pre-eclampsia and maternal-fetal conflict

Varas Enriquez, P. J.; McKerracher, L. J.; Elliot, M. G.

Published in:
Evolution medicine and public health

DOI:
[10.1093/emph/eoy029](https://doi.org/10.1093/emph/eoy029)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2018

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Varas Enriquez, P. J., McKerracher, L. J., & Elliot, M. G. (2018). Pre-eclampsia and maternal-fetal conflict. *Evolution medicine and public health*, (1), 217-218. <https://doi.org/10.1093/emph/eoy029>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Pre-eclampsia and maternal–fetal conflict

P. J. Varas Enriquez¹, L. J. McKerracher² and M. G. Elliot^{*,3}

¹Faculty of Science, University of Amsterdam, Amsterdam, The Netherlands, ²Department of Biochemistry and Biomedical Sciences, McMaster University, Hamilton, ON, Canada, and ³Groningen Institute for Evolutionary Life Sciences, University of Groningen, Groningen, The Netherlands

*Corresponding author. Groningen Institute for Evolutionary Life Sciences, University of Groningen, PO Box 11103, 9700 CC Groningen, The Netherlands.

Telephone: +31 50 36 32356. E-mail: m.g.elliott@rug.nl



PRE-ECLAMPSIA

Pre-eclampsia, a pregnancy disorder defined clinically by maternal hypertension and proteinuria, affects 5–10% of pregnancies and is a major cause of perinatal morbidity and mortality [1].

In healthy pregnancy, placental tissue invades maternal uterine arteries causing reduced arterial elasticity and promoting blood supply to the placenta. In early-onset pre-eclampsia (<34 weeks) this invasion is inadequate, resulting in stressed placentas deprived of blood flow and often yielding growth-restricted fetuses. In late-onset pre-eclampsia (≥34 weeks) the condition is characterized more by defects in maternal cardiovascular health than by inadequate placental invasion. In both cases, the results are a pro-inflammatory maternal immune environment, hypertension and blood vessel damage in kidney, liver and brain [2].

The multiple risk factors of pre-eclampsia include poor maternal cardiovascular health (including hypertension and obesity), presence of risk alleles and lack of extended sexual exposure of the mother to the father prior to conception [3].

EVOLUTIONARY PERSPECTIVES

Pre-eclampsia is common only in humans (which have the most invasive form of mammalian placenta). It is reported rarely in other great apes and absent in non-apes.

Parent-offspring conflict [4] may underlie the evolutionary maintenance of pre-eclampsia despite its burden of mortality. Increased placental invasion and intimacy of maternal–fetal contact is associated with increased prenatal growth rates (but not absolute size) of brain and body [5, 6]. Since mothers and offspring have different optimal gestation lengths and growth rates, there will be conflict over these phenotypes. One additional benefit to the fetus of invasive placentation is that the metabolic costs of detoxifying harmful byproducts of oxygen metabolism (i.e. oxidative stress) can be offloaded onto the mother by direct secretion of pro-inflammatory substances into her blood [7].

Consequently, alleles promoting or suppressing invasion (of benefit to fetus and mother, respectively) persist in the population and may cause disease in certain genetic combinations or maternal health states. Conflict over placental invasion

may be exacerbated by high human prenatal brain growth rates which, along with the unusually long human gestation length, may explain pre-eclampsia's high frequency in humans but rarity in species with less-demanding fetal brain growth trajectories.

Humans have unusually low fecundability, which promotes extended pre-conception interaction between couples, potentially reducing pre-eclampsia risk through development of maternal tolerance of paternal antigens [3].

FUTURE IMPLICATIONS

Genetic conflict should be expected in all pregnancies and may lead to medical complications. It may be of psychological benefit for expectant parents to anticipate conflict and its potential consequences from the beginning of pregnancy, instead of viewing pregnancy as maternal–fetal harmony.

Many mammals exhibit drastically reduced placental invasion in normal pregnancy. Understanding how these species combine low placental invasion with fetal and maternal wellbeing, and how evolutionary transitions between placental types

have occurred [7], may contribute to our knowledge of human placental disorders.

REFERENCES

1. World Health Organization. *WHO Recommendations for Prevention and Treatment of Pre-eclampsia and Eclampsia*. Geneva: World Health Organization, 2011.
2. Redman CW, Sargent IL, Staff AC. Making sense of pre-eclampsia – two placental causes of preeclampsia? *Placenta* 2014; **28**:S20–5.
3. Robillard P-Y, Dekker G, Iacobelli S *et al.* An essay of reflection: why does preeclampsia exist in humans, and why are there such huge geographical differences in epidemiology? *J Reprod Immunol* 2016; **114**:44–7.
4. Haig D. Genetic conflicts of human pregnancy. *Q Rev Biol* 1993; **68**:495–532.
5. Capellini I, Venditti C, Barton RA *et al.* Placentation and maternal investment in mammals. *Am Nat* 2011; **177**:86–98.
6. Elliot MG, Crespi BJ. Placental invasiveness and brain-body allometry in eutherian mammals. *J Evol Biol* 2008; **21**:1763–78.
7. Elliot MG. Oxidative stress and the evolutionary origins of preeclampsia. *J Reprod Immunol* 2016; **114**:75–80.